



TUBINOX SRL - LOCALITA' GERA

22030 EUPILIO (COMO)

Tel. +39031 644523 Fax.+39031 645474

eMail: tubinox@tubinox.net

www.tubinox.net

COMPOSIZIONI FASCI ST/COMPOSIZIONI FASCI STANDARD

DIAMETRO	SPESSORE	KG/MT	NUMERO TUBI PER FASCIO	METRI PER FASCIO	BASE
6	1	0,125	500	3.000	
8	1	0,175	330	1.980	
8	1,5	0,244	330	1.980	
10	1	0,225	330	1.980	
10	1,5	0,319	330	1.980	
12	0,5	1,440	331	1.986	11
12	1	0,275	331	1.986	11
12	1,2	0,325	331	1.986	11
12	1,5	0,394	331	1.986	11
12	2	0,501	331	1.986	11
13	1	0,300	331	1.986	11
13	1,5	0,432	331	1.986	11
14	1	0,326	331	1.986	11
14	1,2	0,385	331	1.986	11
14	1,5	0,470	331	1.986	11
14	2	0,601	217	1.302	9
15	1	0,351	331	1.986	11
15	1,5	0,507	331	1.986	11
15	2	0,651	217	1.302	9
16	1	0,376	331	1.986	11
16	1,2	0,445	331	1.986	11
16	1,5	0,545	331	1.986	11
16	1,6	0,577	331	1.986	11
16	2	0,701	217	1.302	9
17,2	1	0,406	217	1.302	9
17,2	1,2	0,481	217	1.302	9
17,2	1,5	0,590	217	1.302	9
17,2	1,6	0,625	217	1.302	9
17,2	2	0,761	217	1.302	9
18	1	0,426	217	1.302	9
18	1,2	0,505	217	1.302	9
18	1,5	0,620	217	1.302	9
18	2	0,801	169	1.014	8
19,05	1	0,452	169	1.014	8
19,05	1,5	0,659	169	1.014	8
19,05	1,6	0,699	169	1.014	8
19,05	2	0,854	169	1.014	8
20	1	0,476	169	1.014	8
20	1,2	0,565	169	1.014	8
20	1,5	0,695	169	1.014	8
20	2	0,901	169	1.014	8
20	2,5	1,096	127	762	7
20	3	1,27704	127	762	7
21,3	1	0,508	127	762	7
21,3	1,5	0,744	127	762	7
21,3	1,6	0,789	127	762	7
21,3	2	0,967	127	762	7
21,3	2,5	1,177	127	762	7
21,3	2,6	1,217	127	762	7



TUBINOX SRL - LOCALITA' GERA

22030 EUPILIO (COMO)

Tel. +39031 644523 Fax.+39031 645474

eMail: tubinox@tubinox.net

www.tubinox.net

COMPOSIZIONI FASCI ST/COMPOSIZIONI FASCI STANDARD

DIAMETRO	SPESSORE	KG/MT	NUMERO TUBI PER FASCIO	METRI PER FASCIO	BASE
21,3	3	1,375	127	762	7
22	1	0,526	169	1.014	8
22	1,2	0,625	169	1.014	8
22	1,5	0,770	169	1.014	8
22	2	1,002	169	1.014	8
22	3	1,427	127	762	7
23	1,5	0,808	169	1.014	8
24	1,2	0,685	169	1.014	8
24	2	1,102	127	762	7
25	1	0,601	169	1.014	8
25	1,2	0,715	169	1.014	8
25	1,5	0,883	169	1.014	8
25	2	1,152	127	762	7
25	2,5	1,409	127	762	7
25	3	1,653	91	546	6
26,9	1	0,649	127	762	7
26,9	1,2	0,772	127	762	7
26,9	1,5	0,954	127	762	7
26,9	1,6	1,014	127	762	7
26,9	2	1,247	127	762	7
26,9	2,5	1,527	91	546	6
26,9	2,6	1,582	91	546	6
26,9	3	1,795	91	546	6
28	1	0,676	127	762	7
28	1,2	0,805	127	762	7
28	1,5	0,995	127	762	7
28	2	1,302	127	762	7
28	2,5	1,596	91	546	6
28	3	1,878	91	546	6
30	1	0,726	127	762	7
30	1,2	0,865	127	762	7
30	1,5	1,070	127	762	7
30	2	1,402	127	762	7
30	2,5	1,722	91	546	6
30	3	2,028	61	366	5
32	1	0,776	91	546	6
32	1,2	0,925	91	546	6
32	1,5	1,146	91	546	6
32	2	1,502	91	546	6
32	2,5	1,847	61	366	5
32	3	2,178	61	366	5
33,7	1	0,819	91	546	6
33,7	1,2	0,977	91	546	6
33,7	1,5	1,209	91	546	6
33,7	1,6	1,286	91	546	6
33,7	2	1,588	91	546	6
33,7	2,5	1,953	61	366	5
33,7	2,6	2,025	61	366	5
33,7	3	2,306	61	366	5



TUBINOX SRL - LOCALITA' GERA

22030 EUPILIO (COMO)

Tel. +39031 644523 Fax.+39031 645474

eMail: tubinox@tubinox.net

www.tubinox.net

COMPOSIZIONI FASCI ST/COMPOSIZIONI FASCI STANDARD

DIAMETRO	SPESSORE	KG/MT	NUMERO TUBI PER FASCIO	METRI PER FASCIO	BASE
33,7	3,2	2,444	61	366	5
35	1	0,851	91	546	
35	1,2	1,016	91	546	
35	1,5	1,258	91	546	
35	2	1,653	91	546	
35	2,5	2,035	70	420	
35	3	2,404	70	420	
38,1	1	0,929	70	420	
38,1	1,2	1,109	70	420	
38,1	1,5	1,375	70	420	
38,1	1,6	1,462	70	420	
38,1	2	1,808	70	420	
38,1	2,5	2,229	51	306	
38,1	2,6	2,311	51	306	
38,1	3	2,637	51	306	
40	1	0,977	64	384	
40	1,2	1,166	64	384	
40	1,5	1,446	64	384	
40	2	1,903	64	384	
40	2,5	2,348	64	384	
40	3	2,779	64	384	
42,4	1,2	1,238	56	336	
42,4	1,5	1,536	56	336	
42,4	1,6	1,635	56	336	
42,4	2	2,023	56	336	
42,4	2,5	2,498	56	336	
42,4	2,6	2,591	56	336	
42,4	3	2,960	56	336	
42,4	3,2	3,141	56	336	
42,4	3,6	3,498	51	306	
45	1,2	1,316	56	336	
45	1,5	1,634	56	336	
45	2	2,153	56	336	
45	2,5	2,661	56	336	
48,3	1,2	1,415	44	264	
48,3	1,5	1,758	44	264	
48,3	1,6	1,871	44	264	
48,3	2	2,319	44	264	
48,3	2,5	2,867	44	264	
48,3	2,6	2,975	44	264	
48,3	3	3,403	44	264	
48,3	3,2	3,614	44	264	
48,3	3,6	4,029	44	264	
50	1	1,227	44	264	
50	1,2	1,466	44	264	
50	1,5	1,822	44	264	
50	2	2,404	44	264	
50	2,5	2,974	44	264	
50	2,6	3,086	44	264	



TUBINOX SRL - LOCALITA' GERA

22030 EUPILIO (COMO)

Tel. +39031 644523 Fax.+39031 645474

eMail: tubinox@tubinox.net

www.tubinox.net

COMPOSIZIONI FASCI ST/COMPOSIZIONI FASCI STANDARD

DIAMETRO	SPESSORE	KG/MT	NUMERO TUBI PER FASCIO	METRI PER FASCIO	BASE
50	3	3,531	44	264	
50,8	1	1,247	44	264	
50,8	1,2	1,490	44	264	
50,8	1,5	1,852	44	264	
50,8	2	2,444	44	264	
50,8	2,5	3,024	44	264	
50,8	2,6	3,138	44	264	
50,8	3	3,591	44	264	
51	1	1,252	44	264	
51	1,2	1,496	44	264	
51	1,5	1,859	44	264	
51	2	2,454	44	264	
54	1,2	1,587	48	288	
54	1,5	1,972	48	288	
54	2	2,604	48	288	
60,3	1,2	1,776	44	264	
60,3	1,5	2,209	44	264	
60,3	1,6	2,352	44	264	
60,3	2	2,920	44	264	
60,3	2,5	3,618	40	240	
60,3	2,6	3,757	40	240	
60,3	3	4,304	40	240	
60,3	3,2	4,575	40	240	
60,3	3,5	4,978	29	174	
60,3	3,6	5,111	29	174	
60,3	4	5,639	29	174	
70	1,5	2,573	33	198	
70	2	3,405	33	198	
70	2,5	4,226	33	198	
70	3	5,033	33	198	
76,1	1,2	2,251	29	174	
76,1	1,5	2,802	29	174	
76,1	1,6	2,985	29	174	
76,1	2	3,711	29	174	
76,1	2,5	4,607	29	174	
76,1	2,6	4,785	29	174	
76,1	3	5,491	29	174	
76,1	3,2	5,841	29	174	
76,1	3,5	6,363	24	144	
76,1	3,6	6,535	24	144	
76,1	4	7,222	24	144	
80	1,2	2,368	27	162	
80	1,5	2,948	27	162	
80	2	3,906	27	162	
80	2,5	4,852	27	162	
80	3	5,784	27	162	
88,9	1,2	2,635	24	144	
88,9	1,5	3,283	24	144	
88,9	1,6	3,498	24	144	



TUBINOX SRL - LOCALITA' GERA

22030 EUPILIO (COMO)

Tel. +39031 644523 Fax.+39031 645474

eMail: tubinox@tubinox.net

www.tubinox.net

COMPOSIZIONI FASCI ST/COMPOSIZIONI FASCI STANDARD

DIAMETRO	SPESSORE	KG/MT	NUMERO TUBI PER FASCIO	METRI PER FASCIO	BASE
88,9	2	4,352	24	144	
88,9	2,5	5,409	24	144	
88,9	2,6	5,618	24	144	
88,9	3	6,453	24	144	
88,9	3,2	6,867	24	144	
88,9	3,5	7,484	21	126	
88,9	3,6	7,689	21	126	
88,9	4	8,504	19	114	
88,9	5	10,504	14	84	